Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	14	("20020006790" "5077582" "5555191" "5715393" "5809237" "6003061" "6061603" "6317783" "6449633" "6477117" "6510350" "6523130" "6529848" "6549612").PN. OR- ("6757714").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/02 14:09
S5	2	S4 and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:21
S6	3	("6275848" "6505236" "6275850" "5771355" "6167402" "6654787" "5781901" "5903723" "6335963"). pn. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:14
S7	57	mime and ("pop3" with (server gateway firewall)) and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:31
S8	37	"709"/\$.ccls. and mime and ("pop3" with (server gateway firewall)) and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:31
S11	77	mime and "pop3" and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:31
S12	46	"709"/\$.ccls. and mime and "pop3" and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:31
S17	21	mime and (mail\$4 email\$4 e-mail\$4 messag\$4) and (pars\$6 with line)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 12:33
S36	663	"717"/\$.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:24
S37	272	717/136-161.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 21:30

S38	90	717/141-143.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 12:25
S39	36	717/141-143.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6 and database and manag\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:20
S56	19	(US-5826023-\$ or US-5937160-\$ or US-5944787-\$ or US-6016478-\$ or US-6026410-\$ or US-6061502-\$ or US-6167402-\$ or US-6182281-\$ or US-6185551-\$ or US-6256666-\$ or US-6339795-\$ or US-63397259-\$ or US-6421678-\$ or US-6505236-\$ or US-6546417-\$ or US-6598076-\$ or US-6711624-\$ or US-6757714-\$ or US-6785015-\$).did.	USPAT	OR	ON	2005/06/13 08:26
S57	16	S56 and (type with (data information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:42
S58	4	S56 and (type with (data information) same extract\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:56
S59	3	S56 and (type with (data information) same extract\$6) and (determin\$6 with type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 21:17
S60	19	(US-5826023-\$ or US-5937160-\$ or US-5944787-\$ or US-6016478-\$ or US-6026410-\$ or US-6061502-\$ or US-6167402-\$ or US-6182281-\$ or US-6185551-\$ or US-6256666-\$ or US-6339795-\$ or US-6397259-\$ or US-6421678-\$ or US-6505236-\$ or US-6546417-\$ or US-6598076-\$ or US-6711624-\$ or US-6757714-\$ or US-6785015-\$).did.	USPAT	OR	ON	2005/06/14 21:20
S61	3	S60 and (type with (data information) same (pars\$4 extract\$6)) and (determin\$6 with type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 21:21
S62	3	S60 and (type with (data information) same (pars\$4 extract\$6)) and (determin\$6 with type) and (sav\$4 stor\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 21:21

		LAST Scarc				
S63	3	S60 and (type with (data information) same (pars\$4 extract\$6)) and (determin\$6 with type) and ((sav\$4 stor\$6) with type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 21:22
S64	3	717/136-161.ccls. and "709"/\$.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6 and (messag\$4 with type with determin\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:29
S65	182	"709"/\$.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6 and (messag\$4 with type with determin\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 11:49
S66	112	709/204-207,223-229,246.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6 and (messag\$4 with type with determin\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:29
S67	112	709/204-207,223-229,246.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6 and (messag\$4 with type with determin\$5) and (sav\$4 stor\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:23
S68	91	709/204-207,223-229,246.ccls. and (mail\$4 email\$4 e-mail\$4 messag\$4) and pars\$6 and (messag\$4 with type with determin\$5) and ((sav\$4 stor\$6) same type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:36
S69	62	709/204-207,223-229,246.ccls. and ((mail\$4 email\$4 e-mail\$4 messag\$4 line) with pars\$6) and (messag\$4 with type with determin\$5) and ((sav\$4 stor\$6) same type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:57
S71	12	"715"/\$.ccls. and ((mail\$4 email\$4 e-mail\$4 messag\$4 line) with pars\$6) and (messag\$4 with type with determin\$5) and ((sav\$4 stor\$6) same type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:03
S72	21	(US-5826023-\$ or US-5937160-\$ or US-5944787-\$ or US-6016478-\$ or US-6026410-\$ or US-6061502-\$ or US-6167402-\$ or US-6182281-\$ or US-6185551-\$ or US-6256666-\$ or US-6339795-\$ or US-6421678-\$ or US-6505236-\$ or US-6546417-\$ or US-6598076-\$ or US-6711624-\$ or US-6772143-\$ or US-6772216-\$ or US-6785015-\$).did.	USPAT	OR	ON	2005/06/16 12:42

	· · · · ·		Υ	1	_	
S73	21	S72 and pars\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 12:49
S74	12	S72 and (pars\$5 same line)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:26
S75	8	S72 and (pars\$5 same line) and (configur\$6 parameter) and status	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:36
S76	199	((mail\$4 email\$4 e-mail\$4 messag\$4 line) with pars\$6) and (messag\$4 with type with determin\$5) and ((configur\$6 parameter) with (message node client device)) and (status with (message node client device))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:39
S77	78	"709"/\$.ccls. and ((mail\$4 email\$4 e-mail\$4 messag\$4 line) with pars\$6) and (messag\$4 with type with determin\$5) and ((configur\$6 parameter) with (message node client device)) and (status with (message node client device))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:39
S78	80	"709"/\$.ccls. and (messag\$4 with type with determin\$5) and ((configur\$6 parameter) with (message node client device)) and (status with (message node client device)) and (pars\$6 with (text header line message))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:42
S79	57	"709"/\$.ccls. and (messag\$4 with (configur\$6 parameter status) with determin\$5) and ((configur\$6 parameter) with (message node client device)) and (status with (message node client device)) and (pars\$6 with (text header line message))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:45
S80	35	"709"/\$.ccls. and (messag\$4 with (configur\$6 parameter status) with determin\$5) and ((configur\$6 parameter) with (node client device)) and (status with (node client device)) and (pars\$6 with (text header line message))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 13:52

S81	35	"709"/\$.ccls. and (messag\$4 with (configur\$6 parameter status) with determin\$5) and ((configur\$6 parameter) with (node client device)) and (status with (node client device)) and (pars\$6 with (text header line message \$2mail\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 14:01
S82	38	(messag\$4 with (configur\$6 parameter status) with determin\$5) and ((configur\$6 parameter) with (node client device)) and (status with (node client device)) and (pars\$6 with (text header line message \$2mail\$4)) not "709"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 15:20
S83	39	(messag\$4 with (configur\$6 parameter status) with determin\$5) and ((configur\$6 parameter) with (node client device)) and (status with (node client device)) and (pars\$6 with (configur\$6 parameter status))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 15:48
S84	23	S83 not S82	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 15:21
S85	77	((configur\$6 parameter) with (node client device)) and (status with (node client device)) and (pars\$6 same (configur\$6 parameter) same status)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 15:49
S86	17	((mail\$4 email\$4 e-mail\$4 messag\$4 line) with pars\$6) and ((configur\$6 parameter) with (node client device)) and (status with (node client device)) and (pars\$6 same (configur\$6 parameter) same status)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/16 15:49

•			-			
S87	28	(US-6785015-\$ or US-6772216-\$ or US-6757714-\$ or US-6598076-\$ or US-6546417-\$ or US-6505236-\$ or US-6421678-\$ or US-6397259-\$ or US-6339795-\$ or US-6256666-\$ or US-6185551-\$ or US-6182281-\$ or US-6167402-\$ or US-601502-\$ or US-6026410-\$ or US-6016478-\$ or US-5944787-\$ or US-5937160-\$ or US-5826023-\$ or US-6281892-\$ or US-5727135-\$ or US-6779030-\$ or US-6012084-\$ or US-6772143-\$ or US-6711624-\$ or US-6785288-\$). did. or (US-6578096-\$ or US-5793966-\$).did.	USPAT	OR	ON	2006/01/22 22:05
S88	28	S87 and (pars\$4 extract\$4 type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 22:05
S89	74	709/204-207,223-229,246.ccls. and ((mail\$4 email\$4 e-mail\$4 messag\$4 line) with pars\$6) and (messag\$4 with type with determin\$5) and ((sav\$4 stor\$6) same type)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/22 22:42
S90	28	(US-6785288-\$ or US-6598076-\$ or US-6167402-\$ or US-6785015-\$ or US-6061502-\$ or US-5937160-\$ or US-6182281-\$ or US-5727135-\$ or US-5944787-\$ or US-5793966-\$ or US-6281892-\$ or US-6016478-\$ or US-6185551-\$ or US-6421678-\$ or US-6397259-\$ or US-6779030-\$ or US-6546417-\$ or US-6772216-\$ or US-6578096-\$ or US-6505236-\$ or US-6772143-\$ or US-6339795-\$ or US-6256666-\$ or US-6339795-\$ or US-6256666-\$ or US-5826023-\$). did. or (US-6012084-\$ or US-6711624-\$).did.	USPAT	OR	ON	2006/08/03 18:22
S91 `	102	pars\$4 with (email\$4 e-mail\$4 mail\$4 messag\$4) with line	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 18:43
S92	12	pars\$4 with (email\$4 e-mail\$4 mail\$4 messag\$4) with (first top) with line	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 18:41

S93	27	pars\$4 with (email\$4 e-mail\$4 mail\$4 messag\$4) with (first top) with line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 18:41
S94	1	"20050262202"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 16:02
S95	. 2	"20050262202" and (email\$4 e-mail\$4 mail\$4 messag\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:05
S98	102	709/204-207,223-226.ccls. and (monitor\$4 with (peripheral printer) same (mail\$4 email\$4 e-mail\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:29
S99	16	710/8-19.ccls. and (monitor\$4 with (peripheral printer) same (mail\$4 email\$4 e-mail\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:29
S10 0	32	709/204-207,223-226.ccls. and (monitor\$4 with (peripheral printer) same (mail\$4 email\$4 e-mail\$4))	USPAT	OR	ON	2006/08/04 17:27
S10 1	42	709/204-207,223-226.ccls. and (monitor\$4 with (peripheral printer) same (mail\$4 email\$4 e-mail\$4)) and pars\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:31
S10 2	8	710/8-19.ccls. and (monitor\$4 with (peripheral printer) same (mail\$4 email\$4 e-mail\$4)) and pars\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:31
S10 3	9	710/8-19.ccls. and (monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:53
S10 4	43	709/204-207,223-226.ccls. and (monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:53

S10	11	709/204-207,223-226.ccls. and	US-PGPUB;	OR	ON	2006/08/04 18:35
5		(monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4.clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S10 6	4	710/8-19.ccls. and (monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 17:54
S10 7	0	714/5.ccls. and (monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 18:36
S10 8	7	(monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4.clm.	USPAT	OR	ON	2006/08/04 18:36
S10 9	35	(monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4)) and pars\$4	USPAT	OR	ON	2006/08/04 18:36
S11 0	36	(monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4 messag\$4)) and (pars\$4 with (mail\$4 email\$4 e-mail\$4 messag\$4))	USPAT	OR	ON	2006/08/04 18:42
S11 1	59	(monitor\$4 with (peripheral printer copier) same (mail\$4 email\$4 e-mail\$4 messag\$4)) and (extract\$4 with (mail\$4 email\$4 e-mail\$4 messag\$4))	USPAT	OR	ON	2006/08/04 18:47
S11 2	49	S111 not S110	USPAT	OR	ON	2006/08/04 18:50
S11 3	10	S111 and S110	USPAT	OR .	ON	2006/08/04 18:47